

Approvals Database

PRESERVATIVE TREATMENT OF TIMBER

Approval of manufacturing facilities for the preservative treatment of timber pursuant to the Compulsory Specification for the preservative treatment of timber as published by Government Notice No. 380 (Government Gazette No. 32067) of 3 April 2009.

Date	Approval No.	Extension No.	Identification mark of plant	Preservative treatment of timber in accordance with the latest edition of:	Hazard class/es	Timber-preservative treatment process/es	Type/s of timber preservative/s
11/10/2010	NRCS/9092/0001	-	BP	SABS 457-3	H2, H3, H4, H5	Full-cell process	WCCA
				SANS 1288	H2, H3, H4, H5	Full-cell process	WCCA
6/19/2014	NRCS/9092/0002	-	MDT	SANS 1288	H2, H3	Full-cell process	WCCA
5/22/2015	NRCS/9092/0003	-	HFCK	SANS 1288	H2, H3	Full cell pressure process	WCCA
5/22/2015	NRCS/9092/0004	-	SLM	SANS 1288	H2, H3, H4	Full cell pressure process	WCCA
6/25/2015	NRCS/9092/0005	-	R	SANS 1288	H2, H3	Full cell pressure process	WCCA
6/26/2015	NRCS/9092/0006	-	K.T.C	SANS 1288	H2, H3	Full cell pressure process	WCCA
6/29/2015	NRCS/9092/0007	-	SON	SABS473-3	H3,H4,H5	Full cell pressure process	WCCA
				SANS 1288	H2,H3,H4,H5	Full cell pressure process	WCCA
6/29/2015	NRCS/9092/0008	-	BUSCO	SANS 1288	H2	High Pressure , Bethell (full-cell)	WCCA
07/01/2015	NRCS/9092/0009	-	WRSMD	SANS 1288	H2,H3	Full cell pressure process	WCCA
07/01/2015	NRCS/9092/0010	-	FAR	SANS 1288	H2,H3,H4	High Pressure , Bethell (full-cell)	WCCA
				SANS 457	H3,H4	High Pressure , Bethell (full-cell)	WCCA
07/08/2015	NRCS/9092/0011	-	CAPE A	SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2	Vacuum impregnation (double)	OTBTNP
07/09/2015	NRCS/9092/0012	-	RSM	SANS 457-2	H3, H4, H5	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
7/29/2015	NRCS/9092/0013	-	CAPE A	SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2	Vacuum impregnation (double)	OTBTNP
7/29/2015	NRCS/9092/0014	-	MCGTP	SANS 1288	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
				SANS 457-3	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
08/12/2015	NRCS/9092/0015		CAPE PINE G	SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
08/06/2015	NRCS/9092/0016		DPT	SANS 457-3	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
		SANS 1288		H2, H3	High Pressure, Bethell (full cell)	WCCA	
8/25/2015	NRCS/9092/0017	-	YON	SANS 457-3	H3,H4,H5	Full cell pressure process	WCCA
				SANS 1288	H2,H3,H4	Full cell pressure process	WCCA
8/26/2015	NRCS/9092/0018	-	YORK-J	SANS1288	H2,H3	Full cell pressure process	WCCA
8/26/2015	NRCS/9092/0019	-	YORK-S	SANS1288	H2,H3	Full cell pressure process	WCCA
8/26/2015	NRCS/9092/0020	-	YORK-N	SANS1288	H2,H3	Full cell pressure process	WCCA
8/26/2015	NRCS/9092/0021	-	VDL	SANS 457-3	H2,H3,H4	High Pressure , Bethell (full-cell)	WCCA
				SANS 1288	H2,H3,H4	High Pressure , Bethell (full-cell)	WCCA
8/27/2015	NRCS/9092/0022	-	TTI	SANS 1288	H2,H3,H4,H5	High Pressure, Bethell (full cell)	WCCA
8/27/2015	NRCS/9092/0023	-	SOSM	SANS 1288	H2	High Pressure, Bethell (full cell)	WCCA
8/28/2015	NRCS/9092/0024	-	RFG	SANS 1288	H2,H3	Full cell pressure process	WCCA

Approvals Database

PRESERVATIVE TREATMENT OF TIMBER

Approval of manufacturing facilities for the preservative treatment of timber pursuant to the Compulsory Specification for the preservative treatment of timber as published by Government Notice No. 380 (Government Gazette No. 32067) of 3 April 2009.

Date	Approval No.	Extension No.	Identification mark of plant	Preservative treatment of timber in accordance with the latest edition of:	Hazard class/es	Timber-preservative treatment process/es	Type/s of timber preservative/s
8/28/2015	NRCS/9092/0025	-	SUN	SANS457-3	H2,H3,H4	Full cell pressure process	WCCA
				SANS 1288	H2,H3,H4	Full cell pressure process	WCCA
8/28/2015	NRCS/9092/0026	-	THM	SANS 1288	H2	Full cell pressure process	WCCA
11/19/2015	NRCS/9092/0027	-	TRI	SANS 457-3	H2, H3, H4	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
11/19/2015	NRCS/9092/0028	-	CAMI	SANS 457-3	H2,H3	High Pressure,Bethell(full-cell)	WCCA
				SANS 1288	H2,H3,H4	High Pressure, Bethel (full-cell)	WCCA
11/19/2015	NRCS/9092/0029	-	BST	SANS 457-3	H3,H4,H5	High Pressure,Bethell(full-cell)	WCCA
				SANS 1288	H2,H3,H4,H5	High Pressure, Bethel (full-cell)	WCCA
11/27/2015	NRCS/9092/0030	-	STP	SANS457-3	H2,H3,H4	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2,H3,H4	High Pressure, Bethell (full-cell)	WCCA
12/07/2015	NRCS/9092/0031	-	NOX	SANS457-3	H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
26/01/2016	NRCS/9092/0032	-	ACW	SANS 1288	H2,H3,H4,H5	High Pressure, Bethell (full-cell)	WCCA
11/02/2016	NRCS/9092/0033	-	SFP	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
11/02/2016	NRCS/9092/0034	-	HM	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
11/02/2016	NRCS/9092/0035	-	LFP	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
11/02/2016	NRCS/9092/0036	-	WEZA	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
11/02/2016	NRCS/9092/0037	-	AGM	SANS 457-3	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
12/02/2016	NRCS/9092/0038	-	ZAN	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
12/02/2016	NRCS/9092/0039	-	BILIGOM	SANS 1288	H2	High Pressure, Bethell (full-cell)	WCuAZ
15/02/2016	NRCS/9092/0040	-	TSM	SANS 1288	H2	High Pressure, Bethell (full-cell)	WCCA
17/02/2016	NRCS/9092/0041	-	SPL	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 457-3	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2	High Pressure, Lowry (empty-cell)	OTBTNP
18/02/2016	NRCS/9092/0042	-	KT	SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
03/03/2016	NRCS/9092/0043	-	BT	SANS 1288	H2	High Pressure, Bethell (full-cell)	WCCA
04/06/2016	NRCS/9092/0044	-	NGOMI	SANS 1288	H2, H3	High Pressure, Bethell (full-cell)	WCCA
04/07/2016	NRCS/9092/0045	-	K & B	SANS 457-3	H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
04/08/2016	NRCS/9092/0046	-	WP	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA

Approvals Database

PRESERVATIVE TREATMENT OF TIMBER

Approval of manufacturing facilities for the preservative treatment of timber pursuant to the Compulsory Specification for the preservative treatment of timber as published by Government Notice No. 380 (Government Gazette No. 32067) of 3 April 2009.

Date	Approval No.	Extension No.	Identification mark of plant	Preservative treatment of timber in accordance with the latest edition of:	Hazard class/es	Timber-preservative treatment process/es	Type/s of timber preservative/s
04/08/2016	NRCS/9092/0047	-	MVG	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
04/08/2016	NRCS/9092/0048	-	PST	SANS 457-3	H2, H3, H4	Full Cell Process	WCCA
				SANS 1288	H2, H3, H4	Full Cell Process	WCCA
04/08/2016	NRCS/9092/0049	-	CMD	SANS 457-3	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Bethel (full-cell)	WCCA
4/15/2016	NRCS/9092/0050	-	SP	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 457-3	H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
4/25/2016	NRCS/9092/0051	-	RS LOGO	SANS 1288	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
4/25/2016	NRCS/9002/0052	-	PSM	SANS 1288	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2	Low Pressure Process	TBTNP
05/05/2016	NRCS/9092/0053	-	GVT	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 457-3	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
05/05/2016	NRCS/9092/0054	-	TOP	SANS 457-3	H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
5/13/2016	NRCS/9092/0055	-	SPA	SANS 1288	H2, H3	Full Cell Process	WCCA
5/31/2016	NRCS/9092/0056	-	TT	SANS 1288	H2, H3	High Pressure, Bethel (full-cell)	WCCA
06/01/2016	NRCS/9092/0057	-	YORK-E	SANS 1288	H2, H3, H4	Full Cell Process	WCCA
				SANS 1288	H2	Vascol Azure	ZP
06/08/2016	NRCS/9092/0058	-	4JTIM	SANS 457-3	H2, H3, H4	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Bethel (full-cell)	WCCA
6/14/2016	NRCS/9092/0059	-	TOK	SANS 1288	H3, H4, H5	High Pressure, Bethel (full-cell)	WCCA
6/14/2016	NRCS/9092/0060	-	WIN	SANS 1288	H2, H3, H4, H4Y3	High Pressure, Bethel (full-cell)	WCCA
6/14/2016	NRCS/9092/0061	-	SJI	SANS 457-3	H2, H3, H4	High Pressure, Lowry (empty-cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Lowry (empty-cell)	WCCA
07/07/2016	NRCS/9092/0062	-	TJ	SANS 457-3	H3, H4	High Pressure, Bethel (full-cell)	WCCA
				SANS 1288	H3, H4	High Pressure, Bethel (full-cell)	WCCA
1/19/2017	NRCS/9092/0101	-	MDT	SANS 1288	H2	Full Cell Process	WCCA
		-					
		-					

Approvals Database

PRESERVATIVE TREATMENT OF TIMBER

Approval of manufacturing facilities for the preservative treatment of timber pursuant to the Compulsory Specification for the preservative treatment of timber as published by Government Notice No. 380 (Government Gazette No. 32067) of 3 April 2009.

Date	Approval No.	Extension No.	Identification mark of plant	Preservative treatment of timber in accordance with the latest edition of:	Hazard class/es	Timber-preservative treatment process/es	Type/s of timber preservative/s
1/31/2017	NRCS/9092/0102	-	HTT	SANS 457-2	H3,H4	High Pressure , Bethell (full-cell)	WCCA & Creosote
		-		SANS 457-3	H3,H4,H5	High Pressure , Bethell (full-cell)	WCCA & Creosote
		-		SANS 754	H3,H4	High Pressure, Bethell (full-cell) & Lowry (empty-cell)	WCCA & Creosote
		-		SANS 1288	H2,H3,H4	High Pressure, Bethell (full-cell) & Lowry (empty-cell)	WCCA & Creosote
2/28/2017	NRCS/9092/0016	I	NRT	SANS 457-3	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
3/15/2017	NRCS/9092/0103	-	HS	SANS 1288	H2, H3	High Pressure, Bethell (full cell)	WCCA
05/02/2017	NRCS/9092/0093	I	UTT	SANS 457-3	H2,H3,H4	Full Cell Process	WCCA & Creosote
				SANS1288	H2,H3,H4	Full Cell Process	WCCA & Creosote
5/29/2017	NRCS/9092/0104	-	LIMP	SA457-3	H2,H3,H4	Full Cell Process	WCCA
				SANS 1288	H2,H3,H4	Full Cell Process	WCCA
7/13/2017	NRCS/9092/0076	I	HT	SANS 457-2	H2, H3, H4, H5	High Pressure, Bethell (full cell)	WCCA
7/14/2017	NRCS/9092/0105	-	KS	SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full cell)	WCCA
08/03/2017	NRCS/9092/0085	I	MT	SANS 457-3	H3, H4	High Pressure, Bethell (full cell)	Creosote
				SANS 754	H3, H4	High Pressure, Bethell (full cell)	Creosote
				SANS 1288	H3, H4	High Pressure, Bethell (full cell)	Creosote
10/13/2017	NRCS/9092/0106	-	PPCF	SANS 457-3	H2, H3, H4, H5	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
8/24/2018	NRCS/9092/0006	I	K.T.C	SANS 1288	H2, H3	Full cell pressure process	WCCA
6/19/2019	NRCS/9092/0107	-	MPF	SANS 457-3	H4, H5	High Pressure, Bethell (full cell)	WCCA
				SANS 754	H4	High Pressure, Bethell (full cell)	WCCA
6/19/2019	NRCS/9092/0108	-	MWK	SANS 457-3	H4, H5	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressure, Bethell (full cell)	WCCA
6/19/2019	NRCS/9092/0048	I	MPS	SANS 457-3	H4, H5	High Pressure, Bethell (full cell)	WCCA
				SANS 754	H4	High Pressure, Bethell (full cell)	WCCA
				SANS 1288	H3, H4	High Pressure, Bethell (full cell)	WCCA
11/14/2019	NRCS/9092/0096	I	KWAMBO	SANS 457-3	H3, H4	High Pressue, Bethell (full-cell) & Lowry (empty -cell)	WCCA
				SANS 1288	H2, H3, H4	High Pressue, Bethell (full-cell) & Lowry (empty -cell)	WCCA
12/05/2019	NRCS/9092/0109	-	ST	SANS 457-3	H3, H4	High Pressue, Bethell (full-cell)	WCCA
				SANS 1288	H2	High Pressue, Bethell (full-cell)	WCCA
				SANS 457-3	H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA

Approvals Database

PRESERVATIVE TREATMENT OF TIMBER

Approval of manufacturing facilities for the preservative treatment of timber pursuant to the Compulsory Specification for the preservative treatment of timber as published by Government Notice No. 380 (Government Gazette No. 32067) of 3 April 2009.

Date	Approval No.	Extension No.	Identification mark of plant	Preservative treatment of timber in accordance with the latest edition of:	Hazard class/es	Timber-preservative treatment process/es	Type/s of timber preservative/s
1/29/2021	NRCS/9092/0071	I	DIG	SANS 457-3	H3, H4, H5	Hot & Cold Open Tank	Creosote
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	Hot & Cold Open Tank	Creosote
7/30/2021	NRCS/9092/0110	-	BPSA	SANS 457-3	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 457-3	H2, H3, H4, H5	Hot & Cold Open Tank	Creosote
				SANS 754	H3, H4	High Pressure, Bethell (full-cell)	WCCA
				SANS 754	H3, H4	Hot & Cold Open Tank	Creosote
				SANS 1288	H2, H3, H4, H5	High Pressure, Bethell (full-cell)	WCCA
				SANS 1288	H2, H3, H4, H5	Hot & Cold Open Tank	Creosote
09/05/2022	NRCS/9092/0066	I	HTS	SANS 1288	H2, H3, H4	Full Cell Process	WCCA
				SANS 1288	H2	Double Vacuum Pressure	Vacsol
8/31/2023	NRCS/9092/0111		HWJ	SANS 457-3	H3, H4	Full Cell Process	WCCA/Creosote
				SANS 754	H3, H4	Full Cell Process	WCCA/Creosote
				SANS 1288	H2, H3, H4	Full Cell Process	WCCA/Creosote